





JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS



OUR MANUFACTURING RANGE.....



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET
METAL COMPONENTS AND ALUMINIUM PARTS

J A C K S



JPPL- 1101



JPPL- 1102



JPPL- 1103



JPPL- 1104
Dia. 48.3x850mm



JPPL- 1105
Dia. 48.3x850mm



JPPL- 1106

**ADJUSTABLE BASE JACK
MODEL: JPPL- 1101**

Pipe Outer Ø 38 mm.	
Item Code	TL/AL(Mtr.)
1101 A	0.500 / 0.400
1101 B	0.600 / 0.500
1101 C	0.800 / 0.700
1101 D	1.000 / 0.800

**UNIVERSAL JACK
MODEL: JPPL- 1102**

Pipe Outer Ø 38 mm.	
Item Code	TL/AL(Mtr.)
1102 A	0.450 / 0.150
1102 B	0.550 / 0.450
1102 C	0.650 / 0.550
1102 D	0.750 / 0.650

**ADJUSTABLE 'U' HEAD
MODEL: JPPL- 1103**

Pipe Outer Ø 38 mm.	
Item Code	Size (MM)
1103 A	100
1103 B	150
1103 C	200



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS

GUARD RAIL



MODEL: JPPL-1105
GUARD RAIL



MODEL: JPPL-1106
GUARD RAIL



MODEL: JPPL-1107
GUARD RAIL




MODEL: JPPL-1108
GUARD RAIL

4

BASE PLATES



MODEL: JPPL-1104
SHORING "U" HEAD



MODEL: JPPL-1201
BASE PLATE 150x150x2mm With STRIP



MODEL: JPPL-1202
BASE PLATE 150x150x2mm With PIPE




MODEL: JPPL-1203
BASE PLATE 150x150x5mm With ROD



MODEL: JPPL-1204
BASE PLATE 150x150x5mm With PIPE




MODEL: JPPL-1205
BASE PLATE WITH PIPE SIZE: 150 x 150 x 5 mm



MODEL: JPPL-1206
SHOREX PLATE WITH PIPE
SIZE: 9" x 6 3/4" x 3/8"



MODEL: JPPL-1207
BASE PLATE 140 X 140mm X 9mm
WITH PIPE



MODEL: JPPL-1208
BASE PLATE PUNCHED
150 x 150mm x 2mm



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET
METAL COMPONENTS AND ALUMINIUM PARTS

CUPLOCK SYSTEM




VERTICAL/STANDARD MODEL: JPPL- 1001

Item Code	Size (Mtr.)
1001 A	1.0
1001 B	1.3
1001 C	1.5
1001 D	1.8
1001 E	2.0
1001 F	2.3
1001 G	2.5
1001 H	3.0

LEDGER MODEL: JPPL- 1002

Item Code	Size (Mtr.)
1002 A	0.60
1002 B	0.90
1002 C	1.00
1002 D	1.20
1002 E	1.30
1002 F	1.60
1002 G	1.80
1002 H	2.50



TRANSOM MODEL: JPPL- 1003

Item Code	Size (Mtr.)
1003 A	0.565
1003 B	0.795
1003 C	1.200
1003 D	1.300
1003 E	1.800
1003 F	2.500



MODEL: MODEL: JPPL-1004 A,B,C,D,E SPIGOTS (CONNECTION PINS)

Pipe Ø 32 mm & 38mm
Length as per Requirement



MODEL: MODEL: JPPL-1005 SPRING RETAINER STRIPS A,B






JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS

KWICKSTAGE SYSTEM



VERTICAL/STANDARD MODEL: JPPL- 901

Item Code	Size (Mtr.)
901 A	1.0
901 B	2.0
901 C	2.5
901 D	3.0

LEDGER MODEL: JPPL- 902

Item Code	Size (Mtr.)
902 A	1.2
902 B	1.8
902 C	2.4

TRANSOM MODEL: JPPL- 903

Item Code	Size (Mtr.)
903 A	0.8
903 B	1.2
903 C	1.8

FACE BRACE MODEL: JPPL- 904

Item Code	Size (Mtr.)
904 A	2.74
904 B	3.54

STAGE BRACKET MODEL: JPPL-905

Des.	Item Code	Size (Mtr.)
1 Board	905A	0.243
2 Board	905B	0.510
3 Board	905C	0.738

TIE BAR MODEL: JPPL- 906

Item Code	Size (Mtr.)
906 A	1.245
906 B	1.803
906 C	2.413






JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS

MISCELLANEOUS PRODUCTS

MODEL: JPPL-1616 A,B,C,D,E
WALL TIES



MODEL: JPPL-1604
LADDER SAFETY GATE



MODEL: JPPL-1623
PLATFORM STAIR



MODEL: JPPL-1806
DROP HEAD



MODEL: JPPL-1626
FISH BRACKET "A"



MODEL: JPPL-1627
FISH BRACKET "C"



MODEL: JPPL-1628
"H" BEAM CLUMP



MODEL: JPPL-1629
SWIVEL BASE



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET
METAL COMPONENTS AND ALUMINIUM PARTS

MISCELLANEOUS PRODUCTS



MODEL: JPPL-1510
PANEL CONNECTOR



MODEL: JPPL-1511
PANEL CONNECTOR
JAW TYPE FORGED



MODEL: JPPL-1512
PANEL CONNECTOR
PARALLEL



MODEL: JPPL-1513
PANEL CONNECTOR
RIGHT ANGLE



MODEL: JPPL-1515
RING LOCK
VERTICAL



MODEL: JPPL-1601
FORK HEAD



MODEL: JPPL-1514
PANEL BASE FORK



MODEL: JPPL-1624
PUSH PULL PARTS



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS

PRESSED STEEL COUPLER



MODEL: JPPL-601
DOUBLE COUPLER
(EN 74/ BS 1139)
FOR PIPE $\varnothing 48.3 \text{ mm} \times \varnothing 48.3 \text{ mm}$.



MODEL: JPPL-602
SWIVEL COUPLER
(EN 74/ BS 1139)
FOR PIPE $\varnothing 48.3 \text{ mm} \times \varnothing 48.3 \text{ mm}$.



MODEL: JPPL-603
LAP OVER PUT LOG
(EN 74/ BS 1139)
FOR PIPE $\varnothing 48.3 \text{ mm} \times \varnothing 48.3 \text{ mm}$




MODEL: JPPL-604
DOUBLE PUT LOG
(EN 74/ BS 1139)
FOR PIPE $\varnothing 48.3 \text{ mm} \times \varnothing 48.3 \text{ mm}$



MODEL: JPPL-605
GIRDER COUPLER
(EN 74/ BS 1139)
FOR PIPE $\varnothing 48.3 \text{ mm}$.



MODEL: JPPL-606
SLEEVE COUPLER
(EN 74/ BS 1139)
FOR PIPE $\varnothing 48.3 \text{ mm}$.



MODEL: JPPL-607
JOINT PIN
(EN 74/ BS 1139)



MODEL: JPPL-608
ORTHOGONAL
DOUBLE COUPLER
FOR PIPE $\varnothing 48.3 \text{ mm} \times \varnothing 48.3 \text{ mm}$



MODEL: JPPL-609
ORTHOGONAL
SWIVEL COUPLER
FOR PIPE $\varnothing 48.3 \text{ mm} \times \varnothing 48.3 \text{ mm}$



MODEL: JPPL-610
ROOFING COUPLER
(EN 74/ BS 1139)
FOR PIPE $\varnothing 48.3 \text{ mm} \times \varnothing 48.3 \text{ mm}$



MODEL: JPPL-611
COMBINATION DOUBLE
COUPLER (EN 74/ BS 1139)
FOR PIPE $\varnothing 60 \text{ mm} \times \varnothing 48.3 \text{ mm}$



MODEL: JPPL-612
COMBINATION SWIVEL
COUPLER (EN 74/ BS 1139)
FOR PIPE $\varnothing 60 \text{ mm} \times \varnothing 48.3 \text{ mm}$



MODEL: JPPL-613
STAIR CASE COUPLER
(BS 1139) FOR PIPE $\varnothing 48.3 \text{ mm}$



MODEL: JPPL-614
TOE BOARD BRACKET
FOR PIPE $\varnothing 48.3 \text{ mm}$.



MODEL: JPPL-615
PUT LOG HEAD ADOPTER



MODEL: JPPL-1505A
COMBINATION PLATE
120x120x10mm



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)


SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS



MODEL: JPPL-616
HALF COUPLER (BS 1139)
FOR PIPE Ø 60 mm & Ø 48.3 mm



MODEL: JPPL-617
HALF COUPLER WITH ROD
FOR PIPE Ø 60 mm & Ø 48.3 mm



MODEL: JPPL-618
LADDER CLAMP



MODEL: JPPL-619
LIGHT WEIGHT DOUBLE COUPLER (JIS)
FOR PIPE Ø 48.3 mm.x Ø 48.3 mm.



MODEL: JPPL-620
LIGHT WEIGHT SWIVEL COUPLER (JIS)
FOR Ø 48.3 mm.x Ø 48.3 mm.



MODEL: JPPL-621
LIGHT WEIGHT COMBINATION
DOUBLE COUPLER (JIS)
FOR PIPE Ø 60 mm.x Ø 48.3 mm.

10



MODEL: JPPL-622
LIGHT WEIGHT COMBINATION
SWIVEL COUPLER (JIS)
FOR PIPE Ø 60 mm.x Ø 48.3 mm.



MODEL: JPPL-623
HALF COUPLER With STRIP
FOR PIPE Ø 48.3 mm



MODEL: JPPL-624
HALF COUPLER With BRACE LOCK
FOR PIPE Ø 48.3 mm.



MODEL: JPPL-625
HALF COUPLER With JOINT PIN
FOR PIPE Ø 48.3 mm.



MODEL: JPPL-626
HALF COUPLER With 'U' CLIP
FOR PIPE Ø 48.3 mm .



MODEL: JPPL-627
FENCING COUPLER
FOR PIPE Ø48.3mm xØ48.3 mm.



MODEL: JPPL-628
"C" PRESS With WEDGE FOR LEDGER



MODEL: JPPL-629
"C" PRESS With WEDGE FOR BRACE



MODEL: JPPL-630
WEDGE COUPLER
FOR PIPE Ø 27 mm & OTHERS



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS



MODEL: JPPL-631
UNIVERSAL CLAMP



MODEL: JPPL-632
WALL BRACKET



MODEL: JPPL-633
TOE BOARD CLAMP

FORGED STEEL COUPLER



MODEL: JPPL-701
DOUBLE COUPLER
(EN 74/ BS 1139)
FOR PIPE Ø 48.3 x 48.3mm



MODEL: JPPL-702
SWIVEL COUPLER
(EN 74/ BS 1139)
FOR PIPE Ø 48.3 x 48.3mm



MODEL: JPPL-703
LAP OVER PUT LOG
(EN 74/ BS 1139)
FOR PIPE Ø 48.3 mm x Ø 48.3 mm



MODEL: JPPL-704
DOUBLE COUPLER
(HEAVY DUTY) (EN 74/ BS 1139)
FOR PIPE Ø 48.3 mm x Ø 48.3 mm



MODEL: JPPL-705
SWIVEL COUPLER
(HEAVY DUTY) (EN 74/ BS 1139)
FOR PIPE Ø 48.3 mm x Ø 48.3 mm



MODEL: JPPL-706
COMBINATION COUPLER
(EN 74/ BS 1139)
FOR PIPE Ø 34 mm x Ø 42 mm

WEDGE COUPLER



MODEL: JPPL-801
WEDGE COUPLER FIXED
FOR PIPE Ø 48.3mm x Ø 48.3mm,
Ø 48.3mm x Ø 42mm, Ø 42mm x Ø 42mm.



MODEL: JPPL-802
WEDGE COUPLER SWIVEL
FOR PIPE Ø 48.3mm x Ø 48.3mm,
Ø 48.3mm x Ø 42mm, Ø 42mm x Ø 42mm.



MODEL: JPPL-803
HALF COUPLER ROD TYPE
FOR PIPE Ø 42mm & Ø 48.3mm.



MODEL: JPPL-804
WEDGE JOINER CLAMP
(SLEEVE COUPLER)
FOR PIPE Ø 48.3mm x Ø 48.3mm,



MODEL: JPPL-805
WEDGE HALF COUPLER RIGHT ANGLE
FOR PIPE Ø 48.3mm & 42mm



MODEL: JPPL-806
WEDGE HALF COUPLER WITH BOLT
FOR PIPE Ø 48.3mm & 42mm



JASKIRAN PRODUCTS PVT. LTD.


(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS

FENCING PRODUCTS




MODEL: JPPL-1401
FENCE HINGE



MODEL: JUS-1402
FENCE FOOT FRAME



MODEL: JPPL-1403
BAR BED WIRE EXTN.
(METAL FOOT)




MODEL: JPPL-1404 A, B, C
FENCING ACCESSORIES



MODEL: JPPL-1405
FENCING CLAMP
FOR PIPE Ø 48.3 mm



MODEL: JPPL-1406
FENCE COUPLER - 4 mm
WITH HEX BOLT
FOR PIPE Ø 48.3 x 48.3 mm




MODEL: JPPL-1407
POLE-POST CAP PYRAMID TYPE
AVAILABLE IN COPPER, ALUMINIUM,
COLORED POWDER COATED &
HOT DIP GALVANISED.
POST SIZE: 71x 71mm, 77x 77mm,
91x 91mm, 97x 97mm, 101x 101mm,
104x 104mm, 141.5 x 141.5mm




MODEL: JPPL-1408
SPEAR POST CAPS
AVAILABLE IN COLOUR POWDER COATING
& HOT DIP GALVANISED.
POST SIZE: 71x 71mm, 77x 77mm,
91x 91mm, 97x 97mm, 101x 101mm,
104x 104mm, 141.5 x 141.5mm

12




MODEL: JPPL-1409
FENCING POLE POST CAPS
A) 50mm NB ROUND
B) 50 x 50mm SQUARE
C) 65 x 65mm SQUARE



MODEL: JPPL-4010
FENCE POST BASE PLATE COVER
141.5 x 141.5mm
Available in COPPER, ALUMINIUM &
POWDER COATED



MODEL: JPP-1411
DECK POST STEEL
BALL TYPE & PYRAMID TYPE



MODEL: JPPL-1412
HINGES HEAVY DUTY



MODEL: JPPL-1413
EYE BOLTS



MODEL: JPPL-1414
HINGES PLATES WELDED




MODEL: JPPL-1415
CLAMP




MODEL: JPPL-1416
METAL LATCH BENDED



MODEL: JPPL-1417
METAL LATCH FLAT



MODEL: JPPL-1418
METAL PIPE LATCH



MODEL: JPPL-1419
PANEL CLUAP



JASKIRAN PRODUCTS PVT. LTD.


(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS


MISCELLANEOUS PRODUCTS



MODEL: JPPL-1602
PALLET FOOT 125 x 125mm
IN 2mm & 2.5mm THICKNESS



MODEL: JPPL-1603 A,B,C,D,E,F,G
LOCKING PINS (Pig Tails)



MODEL: JPPL-1619 A,B
WEDGE CLAMP
LEFT RIHGT



MODEL: JPPL-1605
FRAME RING
SQUARE



MODEL: JPPL-1606
FRAME RING
ROUND



MODEL: JPPL-1618
FIRE BROOM




MODEL: JPPL-1607
WIRE EYE BOLTS
ZINC PLATED & HOT DIP GALVNISED



MODEL: JPPL-1608
TOE BOARD CLAMP



MODEL: JPPL-1609
PLASTIC CAP




MODEL: JPPL-1610 A,B,C
"U" LOCKS




MODEL: JPPL-1611
PLATFORM LOCKER



MODEL: JPPL-1612
'H' PLATE WITH ACCESSORIES
FOR DROP HEAD



MODEL: JPPL-1613
TAPER WEDGES (A, B, C
D) WEDGE BOLT STANDARD



MODEL: JPPL-1614 A,B,C,D,E
BRACE LOCKS
ROD Ø 12mm, 16mm, 20mm.



MODEL: JPPL-1615
THREE BOARD ACCESSORIES



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET
METAL COMPONENTS AND ALUMINIUM PARTS

FORGED BOLTS & GATE HANGERS



MODEL: JPPL-1701
EYE BOLTS FORGED
Available in 12mm, 16mm, 20mm, 24mm



MODEL: JPPL-1702
GIRDER HOOK
With or Without WASHER.



MODEL: JPPL-1703
GATE HANGER HORIZONTAL & VERTICAL
With or Without WASHER (SINGLE HOLE)



MODEL: JPPL-1704
GATE HANGER HORIZONTAL & VERTICAL
With or Without WASHER (DOUBLE HOLE)




MODEL: JPPL-1705
THREADED GATE HANGERS WITH PIPE
Thread: 14mm, 16mm & 20mm




MODEL: JPPL-1706
THREADED GATE HANGERS WITH PIN
Thread: 14mm, 16mm, 20mm

14 **KWICK STAGE ACCESSORIES**



MODEL: JPPL-1751A,B,C,D,E
QUICK STAGE ACCESSORIES
A) "U" CLIP B) GUIDE PIN , C) "V" CLIP,
D) TRANSUM , E) TAPER WEDGE 6 mm.



MODEL: JPPL-1752
A) LEDGER END
B) TRANSUM END
C) END TOE BOARD



MODEL: JPPL-1753
TOE BOARD BRACKET
With WEDGE
FOR Ø 48.3 mm.

CUP LOCK ACCESSORIES



MODEL: JPPL-1801
TOP CUP
MALLEABLE CASTING




MODEL: JPPL-1802
BOTTOM CUP
PRESSED



MODEL: JPPL-1803
LEADGER BLADE SOLID
FORGED



MODEL: JPPL-1804
LEADGER BLADE PIERCED
FORGED



MODEL: JPPL-1805
INTERMEDIATE TRANSOM "U"
PRESSED



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET
METAL COMPONENTS AND ALUMINIUM PARTS

JACK & PROP ACCESSORIES



MODEL: JPPL-1851
JACK BASE PLATE
(FLAT)
SIZE: 150x 150x 6mm



MODEL: JPPL-1852
JACK BASE PLATE
(EMBOSSED)
SIZE: 150x 150x 6mm



MODEL: JPPL-1853
JACK NUT STANDARD
(MALEABLE CASTING)
For JACK Ø 38mm & 34mm



MODEL: JPPL-1854
JACK NUT CONICAL
(MALEABLE CASTING)
For JACK Ø 38mm & 34mm




MODEL: JPPL-1855
PROP SLEEVE LIGHT DUTY



MODEL: JPPL-1856
PROP SLEEVE HEAVY DUTY



MODEL: JPPL-1857
PROP SLEEVE NUT



MODEL: JPPL-1858 A,B,C,D,E
LOCKING PINS



MODEL: JPPL-1859
PROP WASHER



MODEL: JPPL-1860
PROP BASE PLATE PLAIN



MODEL: JPPL-1861
PROP BASE PLATE WITH CUT



MODEL: JPPL-1862
PROP BASE FOR SWIVEL


COUPLER'S ACCESSORIES



MODEL: JPPL-1651 A,B,C,D,E
BOLTS



MODEL: JPPL-1652 A,B,C,D,E
RIVETS



MODEL: JPPL-1653 A,B,C,D,E,F
NUTS & WASHERS



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET
METAL COMPONENTS AND ALUMINIUM PARTS

FORMWORK PRODUCTS



MODEL:JPPL-1501
HEXAGONAL NUT
MATERIAL : MILD STEEL
SIZE : 50mm LONG &
AS PER REQUIREMENT



MODEL:JPPL-1502
TIE BAR CONNECTOR
MATERIAL : MILD STEEL
SIZE :100mm LONG &
AS PER REQUIREMENT
(DYWIDAG ROD CONNECTOR ALSO AVAILABLE)



MODEL: JPPL-1503
STEEL CONE
MATERIAL : ST 37
SIZET :90 MM LENGTH
WEIGHT : 0.600 KG




MODEL:JPPL-1504
SHUTTERING CLAMP
BLACK PAINTED



MODEL:JPPL-1505
WALLER PLATE
Available in : 6 mm, 8mm,
10mm x 120 x 120 mm.



MODEL:JPPL-1505A
COMBINATION PLATE
10mm x 120 x 120 mm.



MODEL: JPPL-1506A,B,C,D
SNAP TIES WITH PLASTIC CONES &
WITHOUT PLASTIC CONES

16



MODEL:JPPL-1507
ANCHOR NUT FORGED
STEEL




MODEL:JPPL-1508
PANEL CONNECTOR
FORGED



MODEL:JPPL-1509
PANEL CONNECTOR
PRESSED 8mm

OTHERS



MODEL: JPPL-1617 A,B,C,D,E
HOOK STANDS



MODEL: JPPL-1622
SHACKLE



MODEL: JPPL-1621
TRAILER HINGE FORGED



MODEL: JPPL-1620
TRAILER COUPLER



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS

WIRE FORMING PRODUCTS

SEAT BRACKETS



MODEL: JPPL-1901



MODEL: JPPL-1902




MODEL: JPPL-1903



MODEL: JPPL-1904



MODEL: JPPL-1905



MODEL: JPPL-1906



MODEL: JPPL-1907



MODEL: JPPL-1908



MODEL: JPPL-1909




MODEL: JPPL-1910
CROW STOPPER
(BIRD GUARD) 250mm
WITH LOOP FOR CHIMNEY.
AVAILABLE IN BLACK, TERACOTTA
& HOT DIP GALVNISED.


SEAT BRACKETS ACCESSORIES



MODEL: JPPL-1911 A,B,C
BELT CLIP ASSEMBLY.



MODEL: JPPL-1912 A,B, C, D
CLAMP ASSEMBLY



MODEL: JPPL-1913
BRACKET CLAMPS A, B, C



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET
METAL COMPONENTS AND ALUMINIUM PARTS

SHORING

POST SHORES MODEL: JPPL-2001

Item Code	Range
PS # 0	4'00" - 6'00"
PS # 1	5'9" - 10'3"
PS # 2	6'6" - 11'6"
PS # 3	8.6" - 13.00"
PS # 4	10'6" - 16'00"
PS # 5	10'6" - 18'00"

18



MODEL: JPPL-2001
POST SHORE



HDG
FINISH



PAINTED
FINISH



MODEL: JPPL-2003
TRIPOD HEAVY DUTY



MODEL: JPPL-1806
POST SHORE
PROP HEAD FOR DIA 76mm



MODEL: JPPL-1806
DROP HEAD



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

SCAFFOLDING SYSTEMS, FENCE AND SHEET METAL COMPONENTS AND ALUMINIUM PARTS

TRACTOR & TRAILER



MODEL: JPPL-2100
STABILIZER



MODEL: JPPL-2101
STABILIZER
CHAIN ASSLY.



MODEL: JPPL-2102
LASHING EYES



MODEL: JPPL-2103
LIFT ARM



MODEL: JPPL-2104
TOE HOOK



MODEL: JPPL-2105
TOP LINK ASSLY.



MODEL: JPPL-2106
LOADING SAFETY

SUPPORT ARM FOR SNOW REMOVAL MACHINE



MODEL: JPPL-2200
SUPPORT ARM FOR
SNOW REMOVAL
MACHINE



JASKIRAN PRODUCTS PVT. LTD.

(AN ISO 9001-2015 CERTIFIED COMPANY)

Manufacturers and Exporters of :
Scaffolding Systems, Fence & Sheet Metal Components
and Aluminium Parts

SUA ROAD, NEAR SUKHMANI KANDA, INDUSTRIAL AREA- C,
G. T. ROAD, DHANDARI KALAN, LUDHIANA- 141 010 (Pb.) INDIA
MOBILE: +9198760-23191

PHONES: +91-161- 2511943. FAX: +91- 161- 2512943.

E-Mail: info@jaskiranproduct.com

Website: www.jaskiranproduct.com

